




Horana Minerals (Pvt) Ltd.

Specialist In Constructions, Decorative and Coating Materials



Silky Interior
HEGA 膩子粉 (白色) - 内墙

TOTAL FINISH

Super White

HEGA WALL PUTTY

All purpose plasterboard system for
bedding taping and finishing

20 kg

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place , Mattegoda, Sri Lanka.
Tel: 0094 11 2782211, Direct : 0722 286404
Hotline : 0722 244801 | Fax : 0094 11 2782212
E-mail : hega@sltnet.lk

අකුළු බිත්ති මතුපිට
සිහිද පූර්ණ නිමාවට
HEGA 膩子粉 (白色) - 内墙

වතුරට නොගැලවෙන
පිල් කිරීම අවශ්‍ය නොවන

සෙසි වොල් කෝට් වොල් කෝට් වොල් කෝට් වොල් කෝට්


තண்ணීරුக்கு කழன்று போகாது
பிளர் பூசத் தேவையில்லை
உற்பத்தியும் வெளியிலும் மென்மையான கவர் மேற்பரப்பிற்கு

20 kg

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place , Mattegoda, Sri Lanka.
Tel: 0094 11 2782211, Direct : 0722 286404
Hotline : 0722 244801 | Fax : 0094 11 2782212
E-mail : hega@sltnet.lk



COMPANY PROFILE

INTRODUCTION

MARKET CAPABILITY

ORGANIZATION STRUCTURE AND HUMAN RESOURCE.

Horana Minerals (Pvt) Ltd. a Company established in Sri Lanka in year 2000 with their registered office at No. 146/84, Salmal Place, Mattegoda, Sri Lanka was engaged in the business of manufacturing Hega Brand products such as Wall Putty White and Grey, Skim Coat, Texture Powder-in color, Polymer Grout, Anti fungus grout, Construction Grout, Tile cleaning, Tile Adhesive and Waterproof Compounds ext.

A separate manufacturing arm of Horana Minerals (Pvt) Ltd. is established in year 2011 under the name of Lanka Colour Cement Pvt Ltd, in order to provide better manufacturing facilities.

The company Lanka Colour Cement (LCC) begins its operations in year 2011 and gradually took over entire manufacturing and marketing operation from Horana Minerals (Pvt) Ltd. and work as entire separate entity. Horana Minerals (Pvt) Ltd. is now concentrating on providing management and professional service to the LCC and newly formed ceramic bath ware manufacturing company Hega Tile Pvt Ltd.

There well equipped factories are located at Horana. Presently LCC hold the market leadership in Powder based wall putty, skim coat and grout business line and present monthly production volume is excess over 3000MT per month.

The company professional team includes group of experts who are responsible of managing day to day affairs of the company to achieve its objectives in different departments led by Joint managing Directors and Main shareholders of the comapny namely Mr.G.Uapali Gamini Kumara and Mr.E.L. Hettiwatte. Mr Gamini Kumara is responsible for production and marketing segment of the company whiles Mr E.L.Hettiwatte is responsible of administration and finance division.


Their core competences are the strongest network of clientele comprising about 600 dealers all over the country and also the distribution transport service complimented to this wider list of clientele.

LCC has it own qualified and experience research officers who regularly maintain the quality. They employ over 60 very loyal and experienced personal under different segments in Administration, Finance, Marketing and production.

Having gained experience in the market and its competitive environment LCC hold edge over there nearest competitors in compete with there own product range.

Out of all other suppliers in the market LCC has a fleet of lorries, to service there market and hold good information system coordinating the dealers and there by delivery at any moment is executed without any delay. Horana Minerals (Pvt) Ltd.is working towards expanding its current dealer network.






Head Office Building



H
E
A
D
O
F
F
I
C
E
B
U
I
L
D
I
N
G

H
E
A
D
O
F
F
I
C
E
B
U
I
L
D
I
N
G



HEGA

POLYMER MODIFIED TILE ADHESIVE

White

*Specially manufactured for brilliant white and white color
Porcelain Tiles, Mosaics Tiles, Granite and Marbles*

瓷磚膠粘劑 - 白色

Applications

Used for internal and external fixing of Porcelain Tiles, Granites, Marbles and Mosaics. Used in immersed applications Such as Swimming Pool, Showers Bathrooms etc.

Advantages

Polymer modified Tile adhesive Excellent adhesion to Different substrates.
Long lasting and Prevent discoloration of white tiles.
Easy to use
Save money and labor

Product Description

Hega Tile white adhesive is ideal for any kind of Porcelain, Granites, Mosaics or Marbles floor or wall Tiles application. Can be use in internal and external surfaces.
Suitable for fixing tiles on concrete and cement /sand bed.
Hega Tile adhesive is both hydraulically and organically bound Which ensure good adhesion of the tiles to the surface.

MADE IN SRI LANKA **25kg**

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place, Mottagoda, Sri Lanka.
Tel: 0094 11 2782211, Direct: 0722 286404
Hotline: 0722 244801 | Fax: 0094 11 2782212
E-mail: hega@hinet.lk

POLYMER MODIFIED TILE ADHESIVE

Extra Bond - Gray

瓷磚膠粘劑 - 灰色 (超強粘結性)

Applications

Specially manufactured for Internal and External non white colour Porcelain Tiles, Granites, Marbles and Mosaics master pieces. Ideal for Car park, Roof top, Swimming Pool, Showers and Bathrooms etc.

Advantages

Ideal solution for any kind of internal or external master piece application
Sizes - 800 x 600, 800 x 800, 900 x 900, 1000 x 1000 and above.
Includes extra bonding properties
Resist to all weather condition (Heat, Cold and Sea Breeze)
Economical and long lasting durability

Product Description

Hega Tile Extra Bond - Gray is ideal for any kind of for non white colour Porcelain Tiles, Granites, Marbles and Mosaics. Ideal for car park, Roof top, Swimming Pool, Showers and Bathrooms etc.
Can be use in internal and external surfaces.
Suitable for fixing tiles on concrete and cement /sand bed.
Hega Tile adhesive is both hydraulically and organically bound Which ensure good adhesion of the tiles to the surface.

MADE IN SRI LANKA **25kg**

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place, Mottagoda, Sri Lanka.
Tel: 0094 11 2782211, Direct: 0722 286404
Hotline: 0722 244801 | Fax: 0094 11 2782212
E-mail: hega@hinet.lk

HEGA

POLYMER MODIFIED TILE ADHESIVE

Gray Premium

瓷磚膠粘劑 - 灰色 (优选)

Applications

Used for internal fixing of Porcelain Tiles, Granites, Marbles and Mosaics. Used in immersed applications Such as Swimming Pool, Showers Bathrooms etc.

Advantages

Polymer modified Tile adhesive Excellent adhesion to Different substrates.
Long lasting and Prevent discoloration of white tiles.
Easy to use
Save money and labor

Product Description


Hega Tile Adhesive - Gray is ideal for any kind of Porcelain, Granites, Mosaics or Marbles floor or wall Tiles application. Can be use in internal surfaces.
Suitable for fixing tiles on concrete and cement /sand bed.
Hega Tile Adhesive - Gray is both hydraulically and organically Bound which ensure good adhesion of the Tiles to the surface.

MADE IN SRI LANKA **25kg**

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place, Mottagoda, Sri Lanka.
Tel: 0094 11 2782211, Direct: 0722 286404
Hotline: 0722 244801 | Fax: 0094 11 2782212
E-mail: hega@hinet.lk



Hega Wall Putty Gray 100-25kg



Hega Wall Putty- 100 (White) is high quality cement based powder which provides an ideal filling and leveling material for all purpose plastered walls, non plastered cement bricks walls and brick walls.

Advantageous

- 01 A highly recommended substitute product for cement sand plaster applications.
- 02) Hega Wall Putty - 100 (white) provides resistance to water in humid air.
- 03) Highly recommended for interior/exterior and exposed surface.

Confirmed to ASTM C 475 M-07

Hega Construction Grout




Construction grout is a metallic shrinkage controlled grout which incorporates special Mineral aggregates, Admixture and Portland cement and is designed to minimized shrinkage and maximum strength.

Advantageous

- 1) Blends In with surrounding Concrete.
- 2) Provide high effective bearing area for proper support and load transfer.
- 3) Non corrosive and does not contain chlorides. Will not attack steel Reinforcement.
- 4) Shrinkage control
- 5) Non Metallic
- 6) Can be used in dry pack and flow able consistencies
- 7) Easily pumped

**Confirmed to SLS, ISO 13007-4:2009
BS 196-3:2005**




On Three 20 Luxury Apartments
Union Place - Colombo 02



Project : On Three 20

Construction Company : Sanken
CONSTRUCTION (PVT) LTD.

Contact Person : Mr. Sanjeewa Karunaratne
Deputy General Manager (+94 718340964)



Hega Wall Putty White 25kg



Hega Wall Putty is a high quality interieal based fine powder which provides an ideal finishing for concrete / cement plastered walls and ceiling. Due to our high tech manufacturing technology facility Hega Wall Putty comes with finest powder available in the market.

Advantageous

- 01) Can be used in interior as well as exterior.
- 02) Approved by ITI (Industrial Technology Institute)
- 03) Whiteness is 98 to 99%.
- 04) It provides water resistance and smooth finish for further application of all kind of paints. Recommend to wash the wall once the putty application is done.
- 05) It is fine powder to be mixed with water as advised for direct application on plastered surface of the interiors to get silky and shiny finish.
- 06) Can be used on concrete, rendered wall, hollow block, pre cast walls, concrete ceiling , calcium silicate brick & aerated light weight blocks.
- 07) no need of wall filler after putty application.

Confirmed to ASTM C 475 M-07


Hega Wall Putty Gray 200-25kg



Hega Wall Putty- Gray 200 is high quality cement based powder which provides an ideal filling and leveling material for all purpose cement sand plastered walls, concrete ceilings, concrete wall and pre cast walls.

- 01) Hega Wall Putty -Gray 200 provides resistance to water in humid air.
- 02) Highly recommended for interior/exterior and exposed surface.
- 03) Highly recommended for exterior wall application.
- 04) Due to its high content of gray Portland cement it provides water resistance and smooth finish for further application of all kind of paints. Recommend to wash the wall once the putty application is done.
- 05) It is fine powder to be mixed with water as advised for direct application on plastered surface of the interiors to get silky and shiny finish.
- 06) Can be used on concrete, rendered wall, hollow block, per cast walls, concrete ceiling, calcium silicate brick & aerated light weight blocks.
- 07) Not recommended for use on painted or other non-cementations surfaces.

Confirmed to ASTM C 475 M-07




Shangri - La Hotel
Colombo

Project : Shangri - La Hotel

Construction Company : China Harbour Engineering Company

Contact Person : Mr. Mong
General Manager (+94 77 6923872)



Sky Garden
Buthgamuwa

Project : Sky Garden

Construction Company :




Maga Engineering (Pvt) Ltd.

Contact Person

: Mr. L. L. Chandrasena

Deputy General Manager(+94 773675432)



H E Mahinda Rajapaksha Harbour
Hambanthota




Project : **H E Mahinda Rajapaksha Harbour** Construction Company :


Maga Engineering (Pvt) Ltd.

Contact Person

: **Mr. L.L. Chandrasena**

Deputy General Manager (+94 773675432)



Hega Tile Adhesive-White 25kg



HEGA TILE ADHESIVE White is a flexible, general, purpose polymer modified, cement based adhesive used for any kind internal or external floor and wall tile applications. Specially manufactured for Non water absorbing large scale porcelain floor and wall tiles and white and light color marble.

Suitable Applications-On

- A) New Cement and sand Plastered Floor and Walls
- B) Bathroom/Swimming pools and Roof Top
- C) Concrete, Cement renders
- D) Fibrous cement sheet
- E) Cement and terrazzo floors
- F) On existing none polish tile floors

Advantages

Can be used to lay
 Non water absorbing large scale porcelain floor and wall tiles and granite.
 Any kind of water absorbing tiles
 White and light color marble
 Excellent adhesion to different substrates.
 100% water proof.
 Long lasting and durability
 Good flexibility
 Easy to use fast and economical.

Confirmed to EN 196:2005, EN 1348:207

Hega Tile Adhesive - Gray 25kg



HEGA TILE ADHESIVE gray is a flexible, general, purpose polymer modified, cement based adhesive used for any kind internal or external floor and wall tile applications. Specially manufactured for Non water absorbing large scale porcelain floor and wall tiles

Suitable Applications-On


- A) New Cement and sand Plastered Floor and Walls
- B) Concrete, Cement renders
- C) Fibrous cement sheet
- D) Cement and terrazzo floors(Only Ceramic Tiles)

Advantages

Can be used to lay
 Non water absorbing large scale porcelain floor and wall tiles and granite.
 Any kind of water absorbing tiles
 Excellent adhesion to different substrates.
 Long lasting and durability
 Good flexibility
 Easy to use fast and economical.

Confirmed to EN 196:2005, EN 1348:207





Western Provincial Council
Battaramulla

Project : **Western Provincial Council**


Construction Company : **Sanken**

CONSTRUCTION (PVT) LTD.

Contact Person :

Mr. Sanjeewa Karunaratne

Deputy General Manager(+94 718340964)



Hega Texture Powder - 25kg

HEGA Texture Powder is flexible, general, purpose polymer modified, cement based product used for any kind of internal or external coating of your wall and ceiling applications. Ideal for optimum texture spray finish application.



Suitable Applications-On top of

- A) Concrete Slab
- B) Concrete wall surfaces
- C) A porous, non-primed surface, be it raw plaster or joint compound

Confirmed to ASTM D 1653-03

Hega Whether Proof Exterior Powder Filler Hega Whether Proof Exterior Powder Emulsion

Hega Whether Proof Exterior Powder Filler and Emulsion with **snowplow waterproof adhesive** is general purpose product that especially designs for external coating applications with enhance waterproofing capabilities. It is a useful product when looking to protect the finish of a concrete wall, Brick walls, plaster walls or any other type of hard surface. Can be use as a water proof primer.


Due to its resistance to bacteria, fungal growth, algae and mold, it works great as a repellent and ensures a long lasting healthy surface.

Since it is a water-based paint, it is incredibly easy to apply if mixed properly.

Advantages

01. Economical
02. Enhancer waterproof and binding properties.
03. Better performance for outdoor protection and decoration.
04. Available in various colors and can match up with any shade.
05. Has matt finish, an inexpensive way to cover large areas such as Lines, Factory premises, parapet walls, cement and brick walls, concrete walls and garages.
06. No chance of drying it up since it's available in powder form which is mixed into water before application.





Marine City Luxury Apartments


Station Road - Dehiwala



Project : Marine City Luxury Apartments

Construction Company: L.H. Piyasena & Company (Pvt) Ltd.

Contact Person : Mr. L.H. Gamunu Piyasena
Director (+94 777722811)



Teaching Hospital At Kothalawala Defence University
Werahera




University Hospital KDU



Contractor : **Poly Technologies Inc.**
Contractor : **Yanjian Group Lanka Limited.**

Contact Person : **Mr. Han Chunlei**
General Manager




Teaching Hospital At Kothalawala Defence University
Werahera



Contractor : Poly Technologies Inc.
Contractor : Yanjian Group Lanka Limited.

Contact Person : Mr. Han Chunlei
General Manager




Road Development Authority Head Office Building
Battaramulla



Project : **Road Development Authority Head Office Building** Construction Company: **Nawaloka Construction (Pvt) Ltd.**

Contact Person : **Mr. L. B. A. Nandasena**
Project Manager




Guwanpura Housing Scheme
Borella, Colombo 08

Project : **Guwanpura Housign Scheme**

Construction Company : **State Engineering Corporation**

Contact Person : **Mr. Santha Kumara**
Deputy General Manager (+94 714304779)



Kettharama International Cricket Stadium
Colombo




Pallekelle International Cricket Stadium
Kandy

Construction Company : State Engineering Corporation.

Project : Kettharama International Cricket Stadium
Contact Person : Mr. Lalith Liyanarachchi
Project Manager (+94 714219700)

Project : Pallekelle International Cricket Stadium
Contact Person : Mr. Shantha Kumara
Deputy General Manager (+94 714304779)



H E Mahinda Rajapaksha International Conventional Center
Hambanthota




Project : **H E Mahinda Rajapaksha International Conventional Center**

Construction Company : **Daebo Engineering & Construction Company Ltd.**
(Sierra Construction (Pvt)Ltd.)

Contact Person : **Mr. Peck** - (Project Manager)

Mr. Gamage - Project Manager (+94 716904695)



Hega Tile Mortar 25kg



Hega Tile Mortar is a regular-setting, polymer-enriched (“modified”) mortar for Fixing ceramic and porcelain tiles, granite, marble for both internal and external floor and wall in thin-set applications.

Hega Tile mortar is both hydraulically and organically bound which ensure good adhesion of the tile to the surface. For use on all cement-bound substrates with dimensionally stable plastered substrates.

Advantages

Ultimate performance over many substrates.

Excellent workability with optimum thin and medium bed performance (3mm - 5mm)

Excellent adhesion to different substrate.

Economical, High stability, Water resistant

Recommended Applications

- A) Concrete, Cement renders
- B) Mortar Beds
- C) Cement Plasters
- D) Concrete or brick masonry



Hega Polymer Tile Grout and 250ml Polymer Adhesive



Snowplow modified grout is a premium Portland cement-based grout containing finely ground fillers, colorfast pigment, and polymer additives to provide superior flexural and bond strengths. It is designed to be mixed with water and does not require the addition of latex additives. It cures to provide a dense, hard, wear-resistant joint.

Polymer Tile Grout is a product that developed with combination of polymer based (rubber) adhesive. In order to provide greater flexibility, strength and durability liquid base polymer bottle is provided to be mixed with grouting material for the purpose of optimum use.

Advantages

01. Greatly improves flexibility, adhesion and water resistance.
02. Ideal for external walls/swimming pools/bath rooms and chemical exposed surfaces such as labs.
03. Resists Heat, dust and other contaminants.
04. Very flexible for extreme wet conditions.
05. No fungus and fading colors
06. Can be used for internal application without polymer adhesive liquid.

Confirmed to BSEN 196-1:1994, SLS 1189:1999
BSEN 196-2:2005



MERCEDES BENZ CENTER
Colombo 15


Project : **Mercedes Benz Center**

Construction Company:


Maga Engineering (Pvt) Ltd.

Contact Person :

Mr. L.L. Chandrasena
Deputy General Manager (0773675432)




Marino Beach - Hotel & Mall
Colombo - 03



Project : Marino Beach - Hotel & Mall


Contractor : D.R Industries (Pvt) Ltd.
Contact Person : Mr. Ananda Pathirana
Project Manager



University Complex For NIBM
Pitipana, Homagama.

Project : University Complex For NSBM

Construction Company : Maga Engineering (Pvt) Ltd.
Contact Person : Mr. L.L. Chandrasena
Deputy General Manager (0773675432)




Cinnamon Red Hotel
Green Path - Colombo 03

Project : **Cinnamon Red Hotel**

Construction Company : **Sanken**
CONSTRUCTION (PVT) LTD.


Contact Person : **Mr. D. L. Amarasinghe**
Project Manager (+94 714532791)



Jetwing City Hotel
Colombo 07

Project : Jetwing City Hotel

Construction Company : Maga Engineering (Pvt) Ltd.
Contact Person : **Mr. L.L. Chandrasena**
Deputy General Manager (0773675432)



Standard Storage Procedure for Hega Branded Products.

Hega brand products are comes with binding property and strength of cement and depends upon its capacity for chemical reaction, which can take place in the presence of water. Basic requirement is that cement should not come in contact with water or moisture till it is put to use. If it comes in contact, it will react and form lumps. Then it loses its reactivity and this in turn will result in less strength.

The Vendors and site engineer should bear in mind that even the atmospheric moisture is sufficient for deterioration of cement products. Hence cement based products should be stored in such a manner that no moisture or dampness get in contact with stored products.

Therefore we recommend implementing following steps when you store **HEGA** brand products at your stores.

01

Products should always be stored on top of plywood sheet or ideally palletized environment.

02

They should always be stores in a dry place protecting from rain by an undamaged impermeable plastic sheet and raised off the floor to prevent wet moisture gets contact in to the products.

03

Cement based products absorbs moisture from the air, therefore doors and windows should be kept closed to eliminate damp air or droughts.

04

Product stocks should be rotated on a “First In, First Out” basis to ensure that there is never a problem with stock that is hydrating.

05

Prevent storing products closer to the walls that absorbs rain and retention water.


06

Never store products with other products such as fertilizer, Gypsum base products or even foodstuffs as even a minute amount of contamination can have a disastrous result on the performance of cement in mortars, plasters or concrete.

07

Make sure that there is plenty of room in and around the aisles where products are stored to prevent bags from being “snagged” or damaged.

Company do not take any responsibility of the products that damaged or hardened due to non following of the above mentioned standard storing procedures against our products. Warranty is limited only to manufacturing defects.



Prestige Client List -

Construction Companies

Sanken Construction (Pvt) Ltd., Maga Engineering (Pvt) Ltd., L.H.Piyasena & Company., State Engineering Corporation [S.E.C]., Central Engineering Consultancy Bureau [C.E.C.B]., Nawaloka Construction Company (Pvt) Ltd., Cml-Mtd Construction Ltd., Army Engineering Services Regiment.,Yanjian Group Lanka (Pvt) Ltd., N & A Engineering (Pvt) Ltd., Access Engineering Plc., Yala Properties (Pvt) Ltd (Jet Win Group)., China Harbor Engineering Company., Sierra Construction (Pvt) Ltd., Gunathilake Construction (Pvt) Ltd., Daebo Engineering Construction Company Ltd. S.M.R. Engineering Company., Micro Construction (Pte) Ltd., Link Engineering (Pvt) Ltd., E.H.Cooray & Company., Tudawe Brothers (Pvt) Ltd., United Nations., Amil Builders Anil Enterprises (Pvt) Ltd - Kadawatha.,


Distributors and Stockist Locations -

Western Province [Colombo/Gampha/Kalutara]

O.S.M. Sufiyan Sons - Colombo 12.The Adela Trading Company - Colombo 12., Pragash Ceramic - Colombo 12., Sisila Paint Stores - Colombo 12., Grand Ceramic - Colombo 14.,Ceylon Paint - Colombo 12.,Golden Ceramic - Colombo., Central Chemicals Suppliers - Colombo 12., Universal Marble & Granite (Pvt) Ltd.- Nawala., Y2K Ceramic (Pvt) Ltd - Nugegoda., Tile Art (Pvt) Ltd - Nugegoda., Fazaal Hardware - Nawala., Monalisa Tiles - Nugegoda., Uncommon Home[Global Mass Ceramic] - Nugegoda., M.N. Hardware - Colombo - 05., Metro Ceramic – Nawala., Karunarathna Sons (Pvt) Ltd - Maharagama., Asha Paint Center - Mt.Lavinia., Puwakaramba Agency - Moratuwa., TPS International (Pvt) Ltd - Moratuwa., Lucky Hardware - Panadura., Mallika Timber Stores - Dehiwala Yasara Traders - Homagama., Jayasoma Electricals - Athurugiriya., Mahanama Trade Center - Malambe. Tharaka Hardware - Malambe., J.S. Perera & - Kottawa. Godagama Paint Center - Homagama., Jayarathna Hardware - Padukka., C.N. Traders – Negombo., Negombo Paint Center -Negombo., Unity Hardware - Negombo. Mayura Paint House - Kadawatha., Aruna Traders.- Udugampola.,Choice Ceramic - Thihariya., Dakshina Paint - Nittambuwa., Chethila Hardware –Wathupitiwala.,Daya Hardware - Maradaghamula., Radella Stores - Ja Ela.,

Southern Province [Galle/Matara/Hambantota]

U.K.G. Mahagedara (Pvt) Ltd - Galle,Matara,Ambalantota., Fazaal Hardware Pvt Ltd - Galle,Matara., Siripala Builders - Matara., Techno Colour - Matara., Akram's (The Hardware Stores) Galle., Muthumala Trade Center - Tissamaharama.,City Hardware - Walasmulla.,



Central Province [Kandy/Matale/Nuwara Eliya]

Ambaruppa & Sons - Katugastota., Siva Enterprises., Plaza Ceramic - Akurana., Green Legacy-Kandy., Millenium Ceramic –Matale., Asian Ceramic – Akurana., Sanvo Ceramic – Kandy., Rangiri Hardware - Dambulla.,

UVA Province [Badulla/Monaragala]

Wijewardana Consolidated Co (Pvt) Ltd - Badulla., Janalanka - Badulla., National Hardware (N.H.S. Trading Pvt Ltd) - Badulla., Multi Hardware - Badulla., Nameesha Hardware - Badulla., New Arunas Steel & Ceramic-Bandarawela. Mahaweli Ceramic - Bandarawela., Iron Colour Center - Haputale., Iron World - Bandarawela., New Mega Enterprises - Bandarawela., Naveen Ceramic Center - Bandarawela., Srimal Hardware - Monaragala., Lanka Hardware - Monaragala, City Hardware – Monaragala., Lucky Hardware –Wallawaya.,

Sabaragamuwa Province [Rathnapura/Kegalle]

Unity Ceramic - Rathnapura., Chandra Stores - Godakawela., Bimro Tiles - Embilipitiya., Sarathchandra Home Center - Embilipitiya., Central Hardware - Yatiyanthota., Ajantha Hardware – Mawanalla., Rafic Hardware – Warakapola., Mahaweli Hardware –Thalduwa., New Happy Stores –Balangoda., City Electrical – Rathnapura., Ruby Hardware – Rathnapura., Lassahena Hardware – Ehaliyagoda.

Eastern Province [Trincomalee/Batticaloa/Ampara]

Imaza Hardware - Kattankudi., Naseela Hardware - Kattankudi., Top Ceramic - Kattankudi., New Lotus Electricals Kalmunai.,

Northern Province [Jaffna/Mannar/ Vavuniya /Kilinochchi/Mullaitivu]


New Kamal Ceramic - Jaffna., Lanka Hardware - Mannar. New Central Hardware - Vavuniya., Vigneshwaran - Vavuniya., Vinmeen Anghady - Karaveddi., Narayana Hardware – Jaffna., Ark Enterprise -Jaffna

North Western Province [Kurunegala/Puttalam]

Kithsiri Ceramic - Katuneriya., Asian Ceramic - Kurunegala., Nacro Paint –Kurunagala., Unity Paint – Kurunagala., Lanka Hardware – Kurunagala., Lucky Hardware – Ibbagamuwa., Royal Tile Center –Galewela., Delka Enterprises- Malsiripura., Chilaw Ceramic –Chilaw.,

North Central Province [Anuradhapura/Polannaruwa]

W.Punchibanda & Sons –Anuradhapura., Mahajana Hardware –Anuradhapura., Colour Light - Anuradhapura., Rashan Hardware - Anuradhapura., S.M. Hardware - Anuradhapura. A.K.H. Hardware –Anuradhapura., Vogue Ceramic - Kekirawa., Niroshana Hardware - Higurakgoda., Niroshana Ceramic House- Higurakgoda –Lanka Hardware –Kaduruwela.



Interior / Exterior

Use for Non Plastered
Block Wall and Brick Wall

HEGA 底层腻子 (灰色 100) -内外墙通用 (耐水型)

HEGA WALL PLASTER GRAY-100

25Kg net

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place, Mattegoda, Sri Lanka.
Tel: 011 2782211, Direct : 0722 286404
Hotline : 0722 244801 | Fax : 011 2782212
E-mail : hega@sltnet.lk

අඳුලා / පටා
විනිසි මතුපිට

නිලොඞ ගල් සහ
ගඩොල් බිත්ති සපරාදුළුව

HEGA 底层腻子 (灰色 100) -内外墙通用 (耐水型)

කේශ වොල් ක්ලාස්ටර් ග්‍රේ-100 වොල් ප්ලාස්ටර්

25Kg net

HORANA MINERALS (PVT) LTD.



146/84, Salmal Place, Mattegoda, Sri Lanka.
Tel: 0094 11 2782211, Direct : 0722 286404
Hotline : 0722 244801 | Fax : 0094 11 2782212
E-mail : hega@sltnet.lk



Horana Minerals (Pvt) Ltd.

Specialist In Constructions, Decorative and Coating Materials



No 146/84-Salmal Place, Mattegoda, Sri Lanka.

Tel -00 94 11 2782211 - Hot Line 0722 286404 / Fax-00 94 11 2782212

E-mail : hega@sltnet.lk